

THE CORPORATION OF THE DISTRICT OF BURNABY

BY-LAW NO. 6785

A BY-LAW to amend By-Law No. 4247, being the
"Burnaby Sewer Connection By-Law 1961".

The Council of The Corporation of the District of
Burnaby ENACTS as follows:

1. This By-law may be cited as "BURNABY SEWER CONNECTION
BY-LAW 1961, AMENDMENT BY-LAW NO. 2, 1975".

2. Subsection (4) of section 19 of By-Law No. 4247 is
repealed and the following substituted therefor:

"19.(4) Unpolluted water from air-conditioning, cooling
or condensing systems shall be discharged into
a storm sewer, combined sewer or an approved
natural outlet or watercourse."

3. Section 19 of By-Law No. 4247 is further amended
by adding the following as subsection (5):


"19.(5) Waste water from any swimming pool shall be
discharged into a combined or sanitary sewer.
The rate of discharge of swimming pool waste
water to the public sewer shall be limited to
a maximum rate of 120 gallons per minute from
residential pools and a maximum of 250 gallons
per minute from commercial pools."

Read a first time this 8th day of December, 1975.

Read a second time this 8th day of December, 1975.

Read a third time this 8th day of December, 1975.

Reconsidered and adopted this 15th day of December, 1975.



M A Y O R



C L E R K

