

Wednesday, June 17th, 1936.

A regular sitting of the Commissioner was held at the Municipal Hall, Edmonds, on Wednesday, June 17th, 1936 at 10 o'clock a.m.

Present: Commissioner Fraser, Dr. Sager, A. C. Bell, J. G. Mill, W. P. Philps, F. J. Russell, R. Bolton, C. E. Brown and E. L. Rimmer.

Ordered: "That minutes of the meeting of June 10th, 1936, be adopted as written, and confirmed."

Treasurer submitted recommendation that allowances be made under Section 274 of the Municipal Act, as follows:-

Lot 19, Blk. 20, 29/30, D.L. 33. Robt. Mitchell, 3938 Elsom Ave.			
1934 Penalty	\$4.61		
1935 Penalty	3.24		
1933 Interest	3.07		
1934 Interest	2.15	\$13.07	
Interest on Redemption	5.80		\$18.87

Lots 10,15, Blk. 1, D.L. 98. F. G. Stillier, 3225 Derset St.			
Lot 10 1934 Penalty	1.34		
Interest	1.26		
Lot 15 1934 Penalty	6.39		
Interest	6.11		\$15.10

Lots 1, 2, Blk. 1, D.L. 150. N $\frac{1}{2}$ of S $\frac{1}{2}$ of NW $\frac{1}{4}$ Thos. S. King.			
1934 Penalty	3.64		
Interest	1.98		
1935 Penalty	3.66		
Interest	1.20		\$10.48
Lot 2. 1935 Penalty	1.59		
Interest	.48	2.07	\$12.55

Lot 2, of 1 of 4, Sd. 11, Blk. C, D.L. 96. G. F. Sample,			
1935 Penalty	1.24		
Interest	.40	\$1.64	

Lot C, Sd. 18/20, Blk. 1, D.L. 116N. H. Waddington			
1935 Penalty	4.70		
Interest	1.00	\$5.70	

Lot A, Sd. 4, Blk. E, D.L. 188. J. Stephenson, 4748 Dundas			
1935 Penalty	5.76		

Lots 45,46, Blk. 10, D.L. 32. F. G. Simmons, 3628 Maitland St.			
Lot 45 1933 Penalty	1.36		
1933 Interest	1.36	\$2.72	
Lot 46 1933 Penalty	3.63		
1933 Interest	2.89	6.52	\$9.24

Lot 7, Blk. 44, D.L. 151/3. Geo. A. Perkins, 2524 Dow Rd.			
1935 Penalty	9.74		
1935 Interest	3.20	12.94	

Ordered: "That the recommendations of the Treasurer be adopted."

Engineer submitted report on E. C. E. R. pole Plan K-8800/1963 and recommended that the location be approved as follows:-

K-8800/1963 Proposed pole location on Piper Avenue, south of Ward Street. Distance from property line to outside face of poles to be 18' 6".

Ordered: "That the recommendation of the Engineer be adopted."

Engineer submitted report on E. C. Telephone pole drawing A-12229 and recommended the location be approved as follows:-

A-12229 Proposed pole locations on Wedgewood St. East of Douglas Road. Poles to be set as follows: Distance from property line to outside face of poles 6' 6".

Ordered: "That the recommendation of the Engineer be approved."

Accounts submitted for payment were then examined, as follows:-

General accounts to June 13th, 1936	\$5,309.68
Relief accounts	36,275.76
Payrolls	2,322.98

Ordered: "That accounts as submitted be approved."

The meeting then adjourned.

Confirmed.

Hugh W. Fraser
Commissioner.

Charles H. Brown
Clerk.