A regular sitting of the Commissioner was held at the Municipal Hall, Edmonds on Wednesday, November 30th, 1938 at 2:25 p.m. Present: Cmr. Fraser, R. Bolton, W. P. Philps, A. C. Bell, Dr. Sager, Dr. Fraser, J. G. Mill and J. Shaw. Ordered: "That the minutes of the Meeting of November 23rd inst. be adopted as written and confirmed. E. S. H. Winn wrote expressing his appreciation for work done on Deer Lake Avenue. Ordered: "That the letter be received and filed." F. Monk and others wrote stating they wish Sec. 3 of the Drygoods Closing Hour By-law be amended to read "every week day seven o'clock, except Saturday when the closing hour be Nine o'clock P.M. Ordered: "That this matter be left in the hands of the Clerk." The Treasurer submitted recommendations that Allowances be made under Section 293 of the "Municipal Act" as follows: Lots 1,2, Block 10, D.L. 156 to J. Morgan 1. 1938 Penalty \$4.54 2. 1938 Penalty \$.72 \$4.54 .73 Lot 9, Block 8, D.L. 99 to H. R. & F. M. Parsons 1936 Penalty \$6.67 1936 Interest \$6.63. 13.30 Lot 10W5, Blk. 13, D.L. 158E to Daniel Jones . 1937 Penalty \$1.66 1937 Interest \$.64 2.30 Lot 8, Block "I", D.L. 127WH to J. G. Leighton 1935 Penalty \$5.06 1936 Penalty \$5.06 1936 Interest. \$10.12. . 20.24 Lots 17,18, Blk. 24, D.L. 121 to J. Coles 17. 1935/6 Penalty \$6.81 1935/6 Interest \$6.81 13.62 18. 1935/6 Penalty \$6.04 1935/6 Interest \$6.04 12.08 Lot 3N.34⁴, Blk. 48/49, D.L. 35 to Alex Sandell 1933 Penalty \$5.75 1933 Interest \$6.48 1934 Penalty \$5.33 1934 Interest \$2.48 1935 Penalty \$3.74 Int. on Red. \$22.33 46.11 Lots 10N¹/₂, 10S¹/₂, Blk. 18W¹/₂, D.L. 151/3 to Thos. McDonald 10N¹/₂. 1937 Interest * :78 1937 Penalty \$6.00 10S¹/₂. 1937 Penalty \$3.14 1937 Interest \$1.03 6.78 4,16 Lot 17, Blk. 42/43, D.L. 151/3 to Geo. Connor 1937 Penalty \$10.10 10.10 Ordered: "That the recommendations of the Treasurer be and are hereby adopted." The Engineer submitted B. C. E. R. Pole Pole Plan No. k-8800/2318 covering proposed pole locations on Laurel Street east and west of Ardingley Ave.

and recommended they be approved. Distance from the property line to the outside face of poles to be 10'6". Ordered: "That the recommendation of the Engineer be adopted."

The Meeting then adjourned at 2030 p.m.

Confirmed:

Mugh, hu, Fraser Commissioner.

Clerk.